



OFFICE OF THE CDM&PHO-CUM-DISTRICT MISSION DIRECTOR, NUAPADA

(District Programme Management Unit, NHM)

Telefax: 06678 - 223908, E-mail: nhmnuapada@gmail.com

Letter No.. 26.12.....

Date.. 19.11.19.....

To  
The Joint Director(Advertisement)  
I & PR Department.  
Govt. of Odisha , Bhubaneswar.

Sub- Request to publication of advertisement in the earliest leading Odia & English news Paper of Odisha Edition.

Sir,

Please find here with the attached sheet of advertisement for publication in the earliest Odia & English leading news papers of Odisha Edition for procurement of DEIC Equipments & Aids of the undersigned.

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER, NUAPADA.**

**(District Programme Management Unit, NHM)**

**SHORT TENDER NOTICE**

**Notification No. CDM&PHO/2611/19.11.2019/2019-20**

Seal tenders are invited from registered firm /Suppliers/authorized distributors for supply of DEIC Equipments & Aids to the undersigned. Details regarding items with terms & conditions may be downloaded from District web. Site [www.nuapada.nic.in](http://www.nuapada.nic.in). The tender should reached to the undersigned by **Date- 28.11.2019 upto 5.30 PM through Speed post/Registered/Courier service only.**

The undersigned reserves the right to reject any or all the tenders without assigning any reason thereof.

*anpetmark*  
19/11/19  
Chief District Medical & Public Health Officer  
Nuapada

*anpetmark*  
19/11/19  
Chief District Medical & Public Health Officer  
Nuapada

Memo No.. 26.13..... Date.. 19.11.19.....

Copy to the District Informatics Officer, Nuapada. He/She is requested to upload the tender documents of same in the district website at an early date.

*anpetmark*  
19/11/19  
Chief District Medical & Public Health Officer  
Nuapada

**TENDER DOCUMENT FOR SUPPLY OF  
DEIC EQUIPMENT & AIDS FOR THE YEAR  
2019-2020**

CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER, NUAPADA  
(HEALTH & F.W. DEPTT., GOVT. OF ORISSA)

**Bid Reference No. – CDM & PHO/Nuapada (2611/19.11.19) 2019-2020**

DATE OF COMMENCEMENT OF THE BID DOCUMENT:

LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS : 28.11.19 , 5.30 pm

DATE & TIME OF OPENING OF COVER-A (Technical Bid) : 29.11.19, 11.00 am

DATE OF OPENING OF COVER-B (Price Bid) : **Will be notified later on.**

PLACE OF OPENING OF BID DOCUMENTS

AND

ADDRESS FOR COMMUNICATION

Office Chamber, CDM&PHO,Nuapada  
: O/o Chief District Medical &  
Public Health Officer, Nuapada  
Pin Code - 766105

AND

RECEIPT OF BID DOCUMENTS

Tel: 06678-223908

**Email: nhmnuapada@gmail.com**

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH  
OFFICER, NUAPADA**

*Accepted*  
*19/11/19*

## NOTICE INVITING BID DOCUMENT

Sealed tenders are invited from different bidders having valid GST registration, TIN certificates & PAN Card for supply of DEIC Equipment & Aids as per the specification given by Chief District Medical & Public Health Officer, Nuapada.

The Bidders download the Tender Documents directly from the WEBSITE available at [www.nuapada.nic.in](http://www.nuapada.nic.in) . The Tender cost fee of Rs.2000/- Rupees(Two Thousand )only the EMD cost for the tender will be Rs.10,000./-Rupees(Ten Thousand)only by Demand Draft drawn in favors C.D.M.& P.H.O., Nuapada should be enclosed along-with the Technical Bid. The Bidders should specifically super scribe, **“DOWNLOADED FROM THE WEBSITE”** on the top left corner of the outer envelope containing Technical Bid and Price Bid separately. The Tender cost fee and the EMD amount should be submitted separately in shape of demand drafts in the technical bid. In case of any bid amendment and clarification, responsibility lies with the bidders to collect the same from the website, the C.D.M.&P.H.O, Nuapada shall have no responsibility for any delay / omission on part of the bidder.

**The tender paper will be rejected if the bidder changes any clause or Annexure of the bid document downloaded from the website.**

## SECTION -I

### **TERMS AND CONDITIONS FOR SUPPLY OF DEIC EQUIPMENT & AIDS FOR THE YEAR 2018-2019**

---

---

1.1 Sealed tenders will be received by dt.28.11.19 upto 5.30PM by the C.D.M.&P.H.O., Nuapada in the office of the Chief District Medical &Public Health Officer, Nuapada for purchase of DEIC Equipment & Aids. Any tender received after the due date & time will be rejected / returned to the sender unopened. **The tenders will be received through Regd. Post / Courier services / Speed Post only.**

**The bidder(s) are to submit their tenders in separate sealed covered envelops for technical bid and commercial bid by super scribing Cover "A" (Technical Bid) & Cover "B" (Price Bid) and both the sealed covers should be put into a third outer Cover, which should be super scribed as "TENDER FOR SUPPLY OF DEIC EQUIPMENT & AIDS" to the Office of the C.D.M.&P.H.O, Nuapada, Orissa" & Tender Reference No. C.D.M.&P.H.O, Nuapada ( 2611/19.11.19) 2019 – 2020'**

1.2 The Sealed tenders "Cover A" (Technical Bid) submitted by the tenderers will be opened by the C.D.M.&P.H.O., Nuapada in the office chamber of the C.D.M.&P.H.O., Nuapada at 11.00 am dt.29.11.19 .The tenderers or their duly authorized representatives are allowed to be present during the opening of the tenders if they so like.

1.3 The undersigned shall have the right for rejecting all or any of the tender without assigning any reason thereof.

## ELIGIBILITY CRITERIA

- 2.1 Manufacturing units/Authorized Distributer/Suppliers are eligible to participate in the tender provided, they have
- (i) Valid manufacturing license of the manufacturer or duly acknowledge renewal application with old license issued by the state licensing authority/central licensing approving authority.
  - (ii) Manufacturer's Authorization Certificate in case of Authorized distributor / Supplier.
  - (iii) Bidder must be registered under GST Act.
  - (iv) Bidder/Manufacturing/Supplier unit who has been blacklisted either by the Tender inviting authority or by any state Govt. or Central Govt. organization is not eligible to participate in the tender for that item during the period of blacklisting

**The following documents should be enclosed in Cover "A" (Technical Bid) by the tenderer. All the photocopies are to be self-attested.**

### TECHNICAL BID :

- 3.1 Checklist with detail of the documents enclosed in Cover "A" (as per **Annexure - I**) with page number. The document should be *serially arranged* as per this **Annexure - I** and should be securely tied and bound.
- 3.2 List of Item (s) Quoted with name of the Manufacture. (**Annexure - II**)
- 3.3 Tender document fee of Rs. 2,000/- in shape of Demand Draft.
- 3.4 Earnest Money Deposit of Rs. 10,000/- in shape of Demand Draft.
- 3.5 Details name, address, telephone no., Fax, e-mail of the manufacturer / authorized distributor/Suppliers (**Annexure - III**).
- 3.6 The declaration form in **Annexure - IV** duly signed by the tenderer before Notary Public / Executive Magistrate.
- 3.7 Manufacturer's Authorization Format in **Annexure -V** (In case the bidder is not the manufacturer)
- 3.8 Copy of Audited statement of the Supplier of last 3 (three) financial years.
- 3.9 Performance Statement (**Annexure - VI**) during the last two years towards proof of supply to any Govt. organization / Corporate Hospitals. The copy of Purchase orders and certificate from the user should be furnished in support of the information provided in the performance statement along with 4 copies of Purchase order amounting to at least Rs.2.00 lakhs in support of above statement.
- 3.10 Copy of Valid Manufacturing License of the manufacturer (As mention in clause no 2.1(i))
- 3.11 Copy of valid GST registration certificate and GSTR-3B form.
- 3.12 Copy of valid PAN certificate.
- 3.13 The Original Tender Book with Conditions and the schedules signed by the tenderer at the bottom of each page with his official seal duly affixed.
- 3.14 Necessary supportive documents should be submitted in the technical bid as per the specification provided in the list (Section II).

**N.B:** Valid means the certificate should be valid on or beyond the date of opening of tender (Cover-A).

## ELIGIBILITY CRITERIA

- 2.1 Manufacturing units/Authorized Distributer/Suppliers are eligible to participate in the tender provided, they have
- (i) Valid manufacturing license of the manufacturer or duly acknowledge renewal application with old license issued by the state licensing authority/central licensing approving authority.
  - (ii) Manufacturer's Authorization Certificate in case of Authorized distributor / Supplier.
  - (iii) Bidder must be registered under GST Act.
  - (iv) Bidder/Manufacturing/Supplier unit who has been blacklisted either by the Tender inviting authority or by any state Govt. or Central Govt. organization is not eligible to participate in the tender for that item during the period of blacklisting

**The following documents should be enclosed in Cover "A" (Technical Bid) by the tenderer. All the photocopies are to be self-attested.**

### TECHNICAL BID :

- 3.1 Checklist with detail of the documents enclosed in **Cover "A"** (as per **Annexure - I**) with page number. The document should be *serially arranged* as per this **Annexure - I** and should be securely tied and bound.
- 3.2 List of Item (s) Quoted with name of the Manufacture. (**Annexure - II**)
- 3.3 Tender document fee of Rs. 2,000/- in shape of Demand Draft.
- 3.4 Earnest Money Deposit of Rs. 10,000/- in shape of Demand Draft.
- 3.5 Details name, address, telephone no., Fax, e-mail of the manufacturer / authorized distributor/Suppliers (**Annexure - III**).
- 3.6 The declaration form in **Annexure - IV** duly signed by the tenderer before Notary Public / Executive Magistrate.
- 3.7 Manufacturer's Authorization Format in **Annexure -V** (In case the bidder is not the manufacturer)
- 3.8 Copy of Audited statement of the Supplier of last 3 (three) financial years.
- 3.9 Performance Statement (**Annexure - VI**) during the last two years towards proof of supply to any Govt. organization / Corporate Hospitals. The copy of Purchase orders and certificate from the user should be furnished in support of the information provided in the performance statement along with 4 copies of Purchase order amounting to at least Rs.2.00 lakhs in support of above statement.
- 3.10 Copy of Valid Manufacturing License of the manufacturer (As mention in clause no 2.1(i))
- 3.11 Copy of valid GST registration certificate and GSTR-3B form.
- 3.12 Copy of valid PAN certificate.
- 3.13 The Original Tender Book with Conditions and the schedules signed by the tenderer at the bottom of each page with his official seal duly affixed.
- 3.14 Necessary supportive documents should be submitted in the technical bid as per the specification provided in the list (Section II).

**N.B:** Valid means the certificate should be valid on or beyond the date of opening of tender (Cover-A).

### **COVER – B (PRICE BID)**

4. The tender format giving the quoted rate for supply of DEIC Equipment & Aids should be sent in a separate sealed cover hereafter called **Cover “B” (Price Bid)**.

**Cover –B (Price Bid) will be opened only of the tenderers who qualify in Technical Bid (Cover – A) and product is as per tender specification.**

- 4.1 The price of the items should be quoted inclusive FOR destination and Installation cost. The GST and entry tax charges (if any) should be quoted in a separate column. The rate should be quoted for *each item* both in figures and words. **In case of difference in words and figures, words will be taken into consideration for evaluation.**
- 4.2 The Cover “B” of successful tenderers who qualifies in their technical bid, will be opened at the office chamber of the C.D.M.&P.H.O., Nuapada by the C.D.M.&P.H.O., Nuapada in the presence of the tenderers or their authorized representatives which will be notified later.

### **EARNEST MONEY DEPOSIT**

- 5.1 The Earnest Money Deposit referred to at will be submitted in the shape of demand Draft only in favor of C.D.M.&P.H.O., Nuapada, from any Nationalized / Scheduled Bank payable at Nuapada Town, Nuapada.
- 5.2 The EMD of the unsuccessful tenderers will be returned back without interest, and EMD of successful tendered will be returned after successfully supply of purchase orders.

### **TENDER CONDITIONS:**

- 6.1 *The List of the Equipments & Aids are mentioned in Section II.*
- 6.2 Tenders should be typewritten or computerized and every correction in the tender should invariably be attested with signature by the tenderer with date before submission, failing which the tender will be ineligible for further consideration. Rates inclusive F.O.R. destination (*door delivery basis*). GST & Entry Tax(if) **should be mentioned in separate columns**. The rates quoted should be in **Indian Rupees only**.
- 6.3 If there is difference between figures & words, words will be taken into consideration.
- 6.4 In the event of the date being declared as a holiday by Govt. of Odisha, the due date of submission of bids and opening of bids will be the following working day at the appointed place & time.
- 6.5 To ensure sustained supply without any interruption the tender inviting authority reserves the right to split orders for supplying the requirements among more than one tenderer if the lowest eligible bidder fails to supply in scheduled time and L<sub>2</sub> & L<sub>3</sub> firms agree to match the L<sub>1</sub> rate.
- 6.6 The rate quoted and accepted will be binding on the tenderer for a period of **one year** from the date of placement of purchase order and on no account any increase in the price will be entertained till the completion of this tender period.
- 6.7 No tenderer shall be allowed at any time on any ground whatsoever to claim revision of or modification in the rate quoted by him. Clerical error /

- typographical error, etc. committed by the tenderers in the tender forms shall not be considered after opening of tenders..
- 6.8 If at any time during the period of contract, the price of tendered item is reduced or brought down by any law or act of the Central or State Government or the tenderer, the tenderer shall be morally and statutorily bound to inform the C.D.M.&P.H.O., Nuapada, immediately about such reduction in the contracted price. The C.D.M.&P.H.O., Nuapada, Orissa is empowered to unilaterally effect such reduction in rate in case the tenderer fails to notify or fails to agree for such reduction of rate.
- 6.9 Bidders qualifying technical bid should produce sample of all type of items / brochures/operating manuals before opening of Price bid as desired by the CDM&PHO, Nuapada.
- 6.10 Approved rate with terms, conditions & the quoted price of the tender shall remain valid for a period of 12 months from the date of issue of the purchase order or till issue of next tender for these items whichever is earlier.
- 6.11 If any information or documents furnished by the tenderer with the tender papers are found to be misleading or incorrect at any stage the tender of the relevant items in the approved list shall be cancelled and steps will be taken to blacklist the said firm.
- 6.12 Both Cover-A and Cover-B should have an **index and page number** of all the documents submitted inside that cover.
- 6.13 The Tax will be charged as per the guidelines given by the Finance Dept., Govt. of Orissa from time to time. In case of Entry Tax the supplier has to deposit the original receipt to claim it, if finished goods are brought from outside the State. The GST & entry tax components should be shown **separately** in the Price Schedule.
- 6.14 In the event of any dispute arising out of the tender, such disputes would be subject to the jurisdiction of the Civil Court Dist. Nuapada Town, Nuapada or High Court of Orissa

#### **ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:**

- 7.1 The C.D.M.&P.H.O., Nuapada Orissa reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
- 7.2 The C.D.M.&P.H.O., Nuapada Orissa will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
- 7.3 The supply should be completed within 30 days from the date of issue of purchase order unless otherwise specified. If no supply is received even after 30 days or 45 days with liquidated damage from the date of issue of the purchase orders from the C.D.M.&P.H.O., Nuapada such orders will stand cancelled automatically without further notice. The approved firm shall also suffer forfeiture of the EMD.

- typographical error, etc. committed by the tenderers in the tender forms shall not be considered after opening of tenders..
- 6.8 If at any time during the period of contract, the price of tendered item is reduced or brought down by any law or act of the Central or State Government or the tenderer, the tenderer shall be morally and statutorily bound to inform the C.D.M.&P.H.O., Nuapada, immediately about such reduction in the contracted price. The C.D.M.&P.H.O., Nuapada, Orissa is empowered to unilaterally effect such reduction in rate in case the tenderer fails to notify or fails to agree for such reduction of rate.
- 6.9 Bidders qualifying technical bid should produce sample of all type of items / brochures/operating manuals before opening of Price bid as desired by the CDM&PHO, Nuapada.
- 6.10 Approved rate with terms, conditions & the quoted price of the tender shall remain valid for a period of 12 months from the date of issue of the purchase order or till issue of next tender for these items whichever is earlier.
- 6.11 If any information or documents furnished by the tenderer with the tender papers are found to be misleading or incorrect at any stage the tender of the relevant items in the approved list shall be cancelled and steps will be taken to blacklist the said firm.
- 6.12 Both Cover-A and Cover-B should have an **index and page number** of all the documents submitted inside that cover.
- 6.13 The Tax will be charged as per the guidelines given by the Finance Dept., Govt. of Orissa from time to time. In case of Entry Tax the supplier has to deposit the original receipt to claim it, if finished goods are brought from outside the State. The GST & entry tax components should be shown **separately** in the Price Schedule.
- 6.14 In the event of any dispute arising out of the tender, such disputes would be subject to the jurisdiction of the Civil Court Dist. Nuapada Town, Nuapada or High Court of Orissa

#### **ACCEPTANCE OF TENDER AND SUPPLY CONDITIONS:**

- 7.1 The C.D.M.&P.H.O., Nuapada Orissa reserves the right to reject the tenders or to accept the tenders for the supply of the item tendered without assigning any reason thereof.
- 7.2 The C.D.M.&P.H.O., Nuapada Orissa will be at liberty to terminate the contract either wholly or in part without assigning any reasons thereof. The tenderers will not be entitled to any compensation whatsoever for such termination.
- 7.3 The supply should be completed within 30 days from the date of issue of purchase order unless otherwise specified. If no supply is received even after 30 days or 45 days with liquidated damage from the date of issue of the purchase orders from the C.D.M.&P.H.O., Nuapada such orders will stand cancelled automatically without further notice. The approved firm shall also suffer forfeiture of the EMD.

- 7.4 If the approved supplier fails to execute the supply within the stipulated time, the C.D.M.&P.H.O., Nuapada is empowered to purchase the same items from L<sub>2</sub> or L<sub>3</sub> tenderer if they match the L<sub>1</sub> rate.
- 7.5 Rates should be quoted against each item per No. or quantity as per our specifications where applicable. Bidders should ensure that rate quoted is below the "Maximum Retail Price" (MRP) of item/items. Also, the rate of Prosthetics & Orthotic aids for children Therapeutic Intervention should be within the CGHS rate chart of 201 or the updated CGHS rate chart.
- 7.6 Full particulars of stores offered (Brand name / warranty/Model No.if any) would be mentioned where ever necessary.
- 7.7 The acceptance of stores is subject to the approval of our technical experts and unapproved or rejected store shall have to be replaced within a reasonable time at the suppliers cost. The supplier shall have to replace the whole/part/parts of the stores at his cost within a reasonable time in case of damage or shortage if found unsuitable otherwise.
- 7.8 The installation of the items at the site will be responsibility of the successful bidder.
- 7.9 **Warranty / Guarantee:** Full replacement warranty of minimum 1 years (or) as per the OEM's terms and conditions. In case of these costs extra, the same should be clearly mentioned in the quotation.
- 7.10 **Delivery Period:** The offer goods are to be delivered within a reasonable time at our Office but not later than one month from the date of receipt of supply order unless otherwise stated.
- 7.11 **On Site Acceptance Test (OSA):** The complete installation and integration of the server will be carried out by the seller in compliance with Specifications to be demonstrated by the seller to the purchaser before final acceptance of the system.

#### **LIQUIDATED DAMAGE :**

- 8.1 The C.D.M.&P.H.O, Nuapada may allow extension for a maximum period of 2 (two) weeks (15 days), after the stipulated date of supply (i.e. 30 days) with a penalty of 0.5% which will be deducted from the purchase order value as "Liquidated Damage", for each week (7 days) upto a maximum 2% on the value of the goods.
- 8.2 If the supplier fails to complete the supply within the extended period, i.e 45 days after being allowed by the C.D.M.&P.H.O., Nuapada, no further purchase order will be placed to the firm for the said item and the concerned firm will be blacklisted for two (2) years from the date of issue of letter for the said item.

#### **TERMS OF PAYMENT:**

- 9.1 No advance payments towards cost of DEIC Equipment & Aids will be made to the tenderer.
- 9.2 The quality of the products to be verified by a Technical Committee (DEIC members) prior to release the payments.
- 9.2 No claims shall be made against the C.D.M.&P.H.O, Nuapada Dist- Nuapada, Orissa in respect of interest on earnest money deposit or any delayed payment.
- 9.3 Payments in shape of PFMS or e-transfer to the Supplier.

## SECTION -II

List of Items

SL NO	NAME OF THE ITEM	PURPOSE	SPECIFICATION MINIMUM SIZE & APPROXIMATE WEIGHT
1	Therapeutic Mat	Sitting & Stimulating environment for effectively perform & response	5 Pcs of 4 pair of coloured mat
2	Wooden cup board	For storage of TLM used for developing independent skills of children (motor)	60.0 x 45.0 x 80.0 CM size, weight range 25-30 Kg
3	Follow the patterns	Visual perceptual & cognitive development	30x30x7 cm
4	Peg Board Big	Fine & Concentration development	>50 pegs in the wooden board
5	Shape & Slot box	Cognitive skill enhancement	16x13x3 cm weight range: 750-1000 gm
6	Picture dominos	Cognitive enhancement	9.5x5.5x0.3 weight 600-1000 gm
7	Find the sequences	Cognitive & Language enhancement	7.5x7.5x0.5 cm weight 1000-1500 gm
8	Advance shape Stackers	Cognitive & Language enhancement	40x7.5 cm weight 300-500 gm
9	Grade & Stack squares	Math Skill & cognitive development	13x13x18.5 cm weight 1000-1500 gm
10	Math number & quantity, opposites, animals	math & Cognitive enhancement	13x7.5x0.5 cm, weight 400-500 gm 13x7.5x0.5 cm, weight 500-750 gm 13x7.5x0.5 cm, weight 500-750 gm
11	Build ties	Cognitive, motor & perceptual skills	15x15x0.4 cm to 3x3x0.4 cm, weight 1500-200 gm
12	Build block	Cognitive, motor & perceptual skills	15x3x3cm to 3x3 cm, Weight: 3500-400 gm
13	Our helpers	Life Skill	Made up of wooden 13x16x0.3 cm weight: 1000-1500 gm
14	Clock	Time Concept	28x31x6 cm, Weight 100-1500 gm
15	Sound boxes	Play	Various boxes of 1 set
16	Theatre	Play & Learn	Wooden stage with puppet
17	Triangle market	Math	various size of triangle
18	Exercise Board	Concept & act of fitness	
19	Animal & home	matching, pre-academic & cognitive	
20	Touch Boards	To feel difference of texture	13 x 7.5x 0.5 cm, weight 400-500 gm
21	Touch Boards	To feel difference of texture	24 x 11.8 x 0.8 cm, weight 500-750 gm
22	Baric tablets	To pair identically weighing plaques	24x 11.8 x 0.8 cm, weight 400-600 gm 8 x 7.5 x 0.5 cm Weight: 800-900 gm

SL NO	NAME OF THE ITEM	PURPOSE	SPECIFICATION MINIMUM SIZE & APPROXIMATE WEIGHT
23	Mastery bags	To pair identical shapes	3 x 3 x cm Weight 300-500 gm
24	Set of knobsles	To arrange cylinders in order accordingly sizes	5.5 dia 5.5 cm ht
25	Geometrical solid shapes	To Observe basic shapes	6 x 6 x 10 cm Weight : 2000-2500 gm
26	Number Rods	To count partition and arrange rods in order of ascending quantity	100x25x2.5 to 10 x 2.5 x 2.5 cm, Weight 3500-4000 gm
27	Spindle Box	To count spindle and place in right partition of box	49.5 x 16.5 x 4.3 cm Weight:750-1250 gm
28	Sand paper number	To feel shape of number finger	9.8 x 7.7 x 0.3 cm, Weight: 250-500 gm
29	Arithmetic material	To observe value of unit, ten, hundred and thousand	33 x 12 x 7 cm, Weight: 500-1000 gm
30	Arithmetic material	To make quantity of unit, ten, hundred and thousand	35.5 x 12 x 7 cm, Weight, 1000-1500 gm
31	Ten board & head box	To make tens in numbers & quantity in golden beads	7 x 7.5 cm, Weight: 1500-200 gm
32	3000 cards	To make desired quantity till 3999 in figures	unit plate size 3 x 4 cm, Weight 500-1000 gm
33	9000 cards	To make desired quantity till 9999 in figures	3 x 4 cm Weight: 500-750 gm
34	Golden Chian of 100	To count till 100 & use arrow	3.5 x 0.6 cm, < 250gm
35	Coloured bead stairs	To use for any counting 1-9 quantity	10 x 70 x 5.5, < 100 gm
36	Addition snake game	To do addition with bead materials	2.8 x 1.2 cm, Weight: 250-500 gm
37	Multiplication snake game	To do multiplication with bead materials	28 x 10 x 5 cm, Weight 500-600 gm
38	One to ten printed cards	To use for any counting from 1 to 10	10 x 7 x 5.5 cm, Weight 100-250 gm
39	Sand paper alphabate capital letter	To trace rough part & say the sound of letter	14.7 x 9.6 x 0.3 cm, Weight: 1000-1500 gm
40	Sand paper alphabate small letter	To trace rough part & say the sound of letter	13 x 13 x 0.3 cm, Weight: 1250-1500 gm
41	Sand paper phonograms letters	To trace rough part & say the sound of phonogram	17 x 14.1 x 0.3 cm, Weight: 100-1250 gm
42	Sand paper alphabate cursive small letters	To trace rough part & say the sound of letter	14.8 x 13.2 x 0.3 cm, Weight: 1500-1250 gm
43	Exercise of practical life material wooden empty trays	For storage of 1 LM & other for develop independent skills of children (motor)	40 x 30 x 4.2 cm, Weight: 1500-1750 gm
44	Handkerchief	To fold napkins as per given guideline	27 x 27 cm, Weight < 490 gm
45	Large button frame	To tuck large button	24.5 x 26 x 2cm, Weight: 250-500 gm

SL NO	NAME OF THE ITEM	PURPOSE	SPECIFICATION MINIMUM SIZE & APPROXIMATE WEIGHT
46	Medium Button frames	To tuck medium button	24.5 x 26 x 2 cm, Weight < 238 gm
47	Small Buttons frame	To tuck small button	24.5 x 26 x 2 cm, Weight: 250-500 gm
48	Zipper Frame	To tuck Zip	24.5 x 26 x 2 cm, Weight: 200-500 gm
49	Buckles frame	To tuck buckles	24.5 x 26 x 2 cm, Weight: 250-500 gm
50	Hook & Eye Frame	To tuck hook & eye	24.5 x 26 x 2 cm, Weight: 200-300 gm
51	Lace Frame	To tie lace	24.5 x 26 x 2 cm, Weight: 200-500 gm
52	Vellro Frame	To tuck Vellro	24.5 x 26 x 2 cm, Weight: 200-500 gm
53	Ribbons Frame	To tie ribbon	24.5 x 26 x 2 cm, Weight: 200-500 gm
54	Art & Craft Animal	Enjoy colouring animals cutouts	24.5 x 26 x 2 cm, Weight: 200-500 gm
55	Pentagone dairy	Enjoying colouring your own mood in diary cover	25 x 17.5 x 1 cm, < 100 gm
56	Hand Gloves puppet of animals	To performing story, rhyme	19 x 16 x 2.5 cm, Weight 100-200 gm Made up of cotton & wool 100-200 gm each
57	Lace on animals, on shoe, on shapes	Lace on the board	21.5 x 9.5 x 10.5 cm, Weight range: 400 gm-750 gm each
58	Number Train	Enjoy making train from part	Made up of wooden, Multicolour 137.5 x 11 x 0.5 cm, Weight 750-1000 gm
59	Circle, Rectangle, triangle shapes	Let's complete picture	17 x 17 x 0.75 cm, < 100 gm 18 x 13 x 0.75 cm, < 100 gm 17 x 17 x 0.75 cm, 100-250 gm
60	Summer, garden, beach, winter	Let's complete complex picture	30 x 20 x 0.75 cm, 250-500 gm
61	Follow the patterns, patterns, writing, number tracking. Upper case, lower case	Writing Skill	34.5 x 24 x 0.8 cm, Weight: 200-400 gm
62	Flash cards (fruit, vegetables, flowers, birds, animals, domestic, wild, vehicle, body parts, family, shapes, colours, first aid	Academic	Each set of flash card
63	First aid box, dressing & grooming kitchen set, box	Practical Life	Each one set

SL NO	NAME OF THE ITEM	PURPOSE	SPECIFICATION MINIMUM SIZE & APPROXIMATE WEIGHT
64	Black board, white board (small), chalks, markers, note book, pen, pencil, crayon, water colour, A4 bundles	Academic	Each one set
65	Day & Night, Calendars, Clock, months chart, session chart, duster, pic, eraser	time Concept	Each one set
66	Ball 100 pc & bucket (big)	Play & motor	Multicolour 100 balls & one big bucket
67	Picture books (all in one, professional various environment, preposition etc)	Life Skill	50 pages of each book
68	Bell, ring bells, whistles, car, round box (montesson)	Language and auditory	Various sound making toys
69	Printing box, brush, sponge etc	Fine motor	Various things for painting
70	Story sequences	Language development	Various set of stones
71	Music system-1 & rhyme 5, story-5 & life skill-5 DVD, Mantra-DVD-Gayatri	Language, Visual perceptual skill	One music system with DVDs
72	Therapeutic light(multiple), touch	Visual perceptual skills, eye contact, attention, concentration etc.	Multi-colour light & trough
73	Bells, tread & container	Eye hand interaction	Various size of beads & big container
74	Wooden or plastic chair	To seat & read	10 inch & 13.5 inch approximately
75	Wooden Table	To seat & Read	Low height approximately 1.5 to 2 feet
76	Slide, tunnel, swing, door mat	For Playing	
	<b>Total</b>		

12

**LIST OF PHYSIOTHERAPY EQUIPMENT TO BE PURCHASE FOR DEIC**

Sl. No.	Name of the Equipment	No. of Sets/ Unit
1	Activity Table/ Modified wheel Chair (Paediatric)	1
2	Rowing	1
3	Parallel Bars (Paediatric)	1
4	Weight Cuffs (Paediatric)	1
5	Weight & Puller Exercise (Paediatrics)	1
6	Ankle Exerciser (Paediatric)	1
7	Shoulder Wheel (Paediatric)	1
8	Fore-Arm-Exerciser (Paediatric)	1
9	Treadmill (Paediatric)	1
10	Tilt Table (Paediatric)	1
11	Multi Gym (Paediatric)	1
12	Wrist Roll (Paediatric)	1
13	Grip Exerciser (Paediatric)	1
14	Floor Ladder (Paediatric)	1
15	Wrist Circumductor (Paediatric)	1
16	Knee Hammer (Paediatric)	1
17	Depth Perception Peg Board	1
18	Treatment Cuff (6x4x2, 6x4x1)	1
19	Height adjustable Walker and Rollator	1
20	Standing Frame (Paediatric)	1
21	Nirmals Hand Table apparatus (Paediatric)	1
22	CP Chair (Paediatric)	1
23	Corner Seat (Paediatric)	1
24	Crawler (Paediatric)	1
25	Staircase (Paediatric)	1
26	Beach Ball with different sizes (Paediatric)	1
27	Peanut Ball with different sizes	1
28	Electrical Stimulator	1
29	Therapeutic Ultrasound Machine (Paediatric, Double Headed)	1

### Prosthetics & Orthotic Aids for children identified for Therapeutic Intervention

Sl.No.	Sl.No. as per CGHS 2014	Name of the Items	
1	2	Arch Support (Unilateral)	
2	4	Medical / Lateral Wedge	
3	13	Flat Feet / CTEV Shoes Pair (Leather)	
4	18	D.B. Splint with / without shoe	
5	19	AFO conventional (one side)	
6	20	AFO conventional (Bilateral)	
7	24	Knee Orhosis Polypropylene (Vaglum / Varus, immobilizer etc.)	
8	29	KAFO conventional with shoe (one side)	
9	30	Bilateral KAFO conventional with shoe	
10	31	KAFO custom molded without shoe (one side)	
11	34	HKAFO conventional with shoes (one side)	
12	35	Bilateral HKAFO conventional with shoes	
13	36	HKAFO Polyproxylene custom module without shoes (one side)	
14	39	Pavlik Harness for CHD	
15	41	SWASH Brace	
16	5	C.P.Chair / C.P.Stand	

**N.B. Rate should be quoted separately for different Age Groups as mentioned below.**

- 1) Child (0-6 Yrs)
- 2) Child (7-12 Yrs)
- 3) Above 12 Yrs of Age

**1-Therapeutic Ultrasound Machine**

**NAME AND CODING**

**GMDN name-Therapeutic Ultrasound Machine**

**Definition-Ultrasound** is a method of stimulating the tissue beneath the skin's surface using very high frequency sound waves, between 800,000 Hz and 2,000,000 Hz, which cannot be heard by humans. Therapeutic ultrasound in physical therapy is alternating compression and rarefaction of sound waves with a frequency of >20,000 cycles/second

**GENERAL USE**

**1.1-Clinical purpose** For treatment of painful conditions involving the musculoskeletal and neuromuscular structures

**1.2-Used by clinical department/ward**-It is used in physiotherapy,neurology,trauma care.

**1.4-Overview of functional requirements-**

**TECHNICAL**

**2-TECHNICAL CHARACTERISTICS**

- It should be double frequency ultrasound machine.
- Modes of operation should be in continuous and pulsed
- It should have at least in 4 different settings for Pulse ratio.
- Maximum output 2.5-3 watts/Sq.cm.
- Output frequency 1 MHz and 3MHz
- Treatment time should be adjustable from 0-99 minutes
- Automatic alarm should be their on completion of the treatment.
- Digital LCD display to indicate the output in w/cm<sup>2</sup> and other required services.
- All settings should be provided using keys/touch panel.
- Both the transducer should be high quality water resistant (minimum IPX 5)
- The beam type :Divergent/Collimated
- Transducer :The Effective radiating area should be of 0.5 to0.8 for 1MHz and 0.4 to 0.6 for 3MHz.
- The BNR for both the transducer should be 4-6.

**2.2-Settings**-Treatment time,frequency selection,pulse ratio etc.

**2.3-User's interface**-manual

**2.4-Software and/or standard of communication**(where ever required)-inbuilt.

**3-PHYSICAL CHARACTERISTICS**

**3.1-Dimensions (metric)**-Stand alone

**3.2-Weight (lbs, kg)**-<5kg

**3.3-Configuration**-NA

**3.4-Noise (in dBA), heat dissipation**-NA

**3.5-Mobility, portability**-Table top

*Prakash*

*Smita Nandi*

*Sonal Patra*

*Dr*

232

- 4-ENERGY SOURCE (electricity, UPS)
- 4.1-Power Requirements-NA
- 4.2-Battery operated-NA
- 4.3-Tolerance (to variations, shutdowns)-NA
- 4.4-Protection-NA
- 4.5-Power consumption-NA
- 4.6-Other energy supplies-NA
- 5-ACCESSORIES, SPARE PARTS, CONSUMABLES
- 5.1-Accessories (mandatory, standard, optional)-
- 5.2-Spare parts (main ones)-
- 5.3-Consumables / reagents (open, closed system)-

6-ENVIRONMENTAL AND DEPARTMENTAL CONSIDERATIONS

- 6.1-Atmosphere / Ambiance (air conditioning, humidity, dust ...)-  
Operating condition: Capable of operating continuously in ambient temperature of 0 to 50 deg C and relative humidity of 15 to 90% in ideal circumstances. an ambient air velocity is less than 0.3 m/s.
- 6.2-User's care, Cleaning, Disinfection & Sterility issues-Complete unit to be easily washable and sterilizable using both alcohol and chlorine agents.

7-STANDARDS AND SAFETY

- 7.1-Certificates (pre-market, sanitary, ..);Performance and safety standards (specific to the device type); Local and/or international
  - ISO 13485;Manufacturer / supplier should have ISO certificate for quality standard. Should be USFDA / CE(notified) approved product or BIS certified
  - Safety standard to meet IEC 60601

8-TRAINING AND INSTALLATION

- 8.1-Pre-installation requirements: nature, values, quality, tolerance-Supplier to perform installation, safety and operation checks before handover.
- 8.2-Requirements for sign-off-Certificate of Calibration and inspection from the factory.
- 8.3-Training of staff (medical, paramedical, technicians)-Training of users in operation and basic maintenance shall be provided

9-WARRANTY AND MAINTENANCE

- 9.1-Warranty-1 year.
- 9.2-Maintenance tasks-maintenance manual detailing complete maintaining schedule
- 9.3-Service contract clauses, including prices-
- 9.4-Others-

10-DOCUMENTATION

- 10.1-Operating manuals, service manuals, other manuals-Required
- 10.2-Other accompanying documents-Demonstration CDs
- 10.3-Recommendations for maintenance-NA

11-NOTES

- 11.1-Service Support Contact details (Hierarchy Wise; including a toll free/landline number)-NA
- 11.2-Recommendations or warnings-NA

Dekshane

Sunita Nanda  
Sonal Patra

232

**2. Rowing**

- The rowing machine should be operated by the patient of age group 3-9 years.
- It should be a multifunction type for building of strength of the children.
- It should be self propelled type for providing low or no impact on the patient.
- Provided with elastic rope with adjustable resistances of minimum 3.
- Its design should be play and colourful type to attract the children's.
- The item should have foam based padding to cover the steel frames for safe use of the children.
- Manufacturer should be ISO certified.

**3-Parallel Bar**

**Technical Specification**

- The parallel bar should be a height adjustable, plat form based one which should be very simple for easy accommodation of multiple patients of age group 2-6years..
- The handrails should be in single piece, circular in design stainless steel pipe of minimum diameter 1 1/2".
- Both the end of the handrails should be fitted with bumpers.
- The Uprights should be made of heavy gauge square 1 1/2" steel tubest.
- All parts should be powder-coated.
- The uprights are to be fitted on a 1 1/2" thick hard plywood base. Both end of this platform should be UV curved for obstruction free. The platform should be stain finish. Both the end of the plat form should have two anti slip threads for non skidding.
- Safety treads at both ends of platform should be provided for safety of the patient when take turn.
- Models make it safer for patient to turn

**Minimum dimension of the structure :**

- Length of the bar: 10feet
- Width of the bar: 25" - 28"
- Height adjustment of the Bar: 26" - 39"
- The manufacturer should be ISO 13485 approved.

**4-Weight Cuff**

- One pair of Wrist Weights for age group of 3-6 years.
- The Weight of Wrist Weight should be of 500gms-2 kg of adjustable weights.
- The weight should be covered in a soft, durable material.
- It should be completely latex free.
- It should be Easy and effective way to exercise the arms
- It should be Simple to fasten for total user comfort
- It should also be worn around the ankle
- Manufacturer should be ISO certified.

*Prashant*  
*Surita*  
*Sonali Patil*  
*an*

20

**5-Multi propose Exercise Chair ( Weight and Puller Exerciser)**

Should be Specifically designed chair for multi exercise facility.  
The unit should be used for the age group of 6-18 years.  
Made of tubular steel constructed chair of 100 cm long x 65 cm wide approximate.  
The chair should be fitted with overhead bar that extends out 80cm from the frame.  
The chair with two stabilizing straps, three handles two foot straps, ropes with pulleys and overhead pulley system can be used for variety of exercises involving Reciprocal Motion for Elbow, Shoulder, Knees and Hips; Active Quadriceps and Hamstrings Stretching; Resistive and Assistive exercises.  
A set of Ten locking weights should be provided for graded resistance for all exercises  
The unit should not have any sharp edges.  
The manufacturer should be ISO certified

**6- Ankle exerciser**

- It should be useful for the ankle exercise for the age group of 6-18 years who has injury and/or weakened ankles.
- Design with a painted aluminium boot with strap.
- The boot should be mounted on a laminated stainless steel sheet bracket having two springs for ankle.
- The resistance can be increased further by tightening spring's nut.
- Degree of flexion can be measured and recorded.
- Manufacturer Should be ISO certified

**7-Shoulder Wheel**

- It should be a wall mounted one.
- The wheel for use of age group 6-18 years.
- The motion arc can be adjustable from 10 to 38 inches by adjusting the handle.
- The wheel shall be mounted on a two chrome plated height adjustable (8" to 26") rails.
- The resistance can be varied by turning the resistance knob.
- The manufacturer should be ISO certified

**8-Fore- Arm Exerciser**

- Adjustable Hand Grip Exerciser shall be Ideal for early stages of rehabilitation
- The fore Arm Exerciser for use of age group 5-18 years
- It should be ideal for hand, finger, wrist or arm exercises
- The tension can be increased or decreased as per the user turning the adjustment knob.
- The tension range can be set at any level between 0.5kg-5kg allowing the tension to be steadily increased as the user regains strength.

**9-Rope LADDER**

- For Age group from 3-12 years.
- Indoor/outdoor 10-foot rope ladder
- Smooth-sanded maple-wood rungs
- Sturdy rope of 10ft
- Don't need hardware to hang
- Holds up to 125 lbs

*Pushover*  
*Sanita nanda*  
*Sonali Patra*  
*D*

- Child can scale the side of a castle, mountain, or ship with this ladder
- Manufacturer Should be ISO certified

#### 10-PEDIATRIC TREADMILL

The Paediatric Treadmill should be used from the age of 4 years and up to 12 years old. Specialize application for rehabilitation and longitudinal testing of young children with chronic diseases.

#### Specifications

- The treadmill should includes control unit of inbuilt programmable protocols.
- Elevation: 0 to 25 %
- Rehab speed: 0.1 to 12 km/h.
- start speed 0 km/h
- Standard running surface: 120 x 50 cm
- Standard pre-programmed protocols: Bruce & Balke
- Maximum patient weight: 100 kg
- Emergency stop: with magnetic lanyard
- Low noise level
- No belt-greasing required
- Soft surface
- Operates on 220 volt

#### 11-Tilt table

- It should function like a motorized table with vertical to horizontal tilt is achieved with an easy-to-turn by crank mechanism.
- Crank is angled to provide leverage for maximum lifting efficiency.
- The table should have three positioning straps for security on raising the patient.
- Latex free
- Should have minimum 30" wide surface with an extra-wide footboard (20"W x 18"D).
- Minimum 2"-thick high-density (40) foam/Moulded foam padding.
- Made of heavy-duty steel frame with vinyl upholstery.
- Surface area: 28"W x 78"L x 33"H. approximate
- The manufacturer should be ISO certified

#### Multiple Exercise Multi Gym System

- Multiple Exerciser multi gym system for fitness as well as therapy.
- It should have facility for exercises for Chest Extension, High Pull, Low Pull, Rowing, Peck-Deck, Leg Extension Etc
- Easy To Use, Space Saving, No-Cable-Change Design
- The frame work should be made of good quality material with smooth finish (no sharp edges).

Balishore  
Surita Nanda  
Sonali Patra

2

228

- It should be easy to use, space saving and there should not be any cable to change in design.
- The Product may be delivered in two or three Parcels for Heavy Products

**12-Standing Unit**

The unit should be a vertical sander.

The unit should be provided with four points of support for e therapeutic benefits of standing and places children at peer level.

**Minimum Features:**

1. Height-adjustable Chest, Pelvic & Knee supports.
2. Adjustable foot restraints.
3. Detachable rimmed tray for activities.
4. Chrome-plated uprights fitted on non-slip matted foot board.

The unit should be finished with multiple colours to attract the child.

The manufacturer should be ISO certified.

**13-Wrist Roll for children use:**

Unit should consist of double hand grips, rope and weight of minimum .5kg.

**14-Grip Exercise:** Grip exerciser tool for kids only.

**15-Floor Ladder**

- It should be used for improvement of acceleration, lateral speed and change of direction
- It should be used for development of the core skills necessary to enhance balance, rhythm and body control
- The ladder should be of 15 feet long with 11 heavy-duty plastic rungs for high-intensity training
- The ladder should be made of thick, rugged, nylon straps and are sewn in place so that the rungs on the ladder don't move even when you bump into them repeatedly.
- The ends of the ladder should have strong double-reinforced D-rings to keep ladder staked and in place on grass surfaces.
- Includes carry bag for easy portability

**16-Wrist Circumductor**

- A iron wheel mounted on a laminated wooden base has a small Adjustable handle fitted to the wheel.
- A knob shall be provided at back of the wheel to control resistance 0 to maximum.

*Abhishek*

*Susmita Sarda*

*Sonalika Patra*

*am*

- Hollowed foam Padded platform fitted with two straps to hold arm and is fitted over the base in front of the wheel for wrist circumduction

**16-Tunnel**

- It should be used for both indoor and outdoor.
- It should be made of nylon fabric flame retardant.
- It should be Sturdy. spring steel construction
- Fun for developing cooperative play
- Great for muscle development
- Stimulates the imagination for creative playtime
- Padded interior system for more comfortable playtime
- Wipes clean with a damp cloth
- Size: 6'L x 9" diameter

**18-Depth perception peg board**

It should be used for Stimulating the depth perception and eye-hand co-ordination on two levels.  
 Board is 30cm square and have 25 holes of 12mm dia.  
 The board comes with 21 solid of two colours of red and green pegs to place in.  
 The top level of the peg should be clear made of transparent plastic and the base should be made of poly wood

**19-Resistance**

**20-Adjustable height**

**21-Adjustable**

**22-Adjustable, foldable, and rotate**

- Approximate user height: 4'10"-6'1"
- Height adjustments: Seat height: 18"-22", Handles: 29.5"-38"
- Includes seamless padded seat and zippered carry pouch
- Loop-lock brakes
- Removable, hinged, padded backrest
- Ergonomic handgrips.
- Weighs: 14 lbs.
- Weight capacity: 300 lbs.

Bushave  
Sunika Nanda  
Somali Patra

Dr

326

**23-Complete thera band package**

The thera band CLX with Easy Grip Loops™ provides multiple unique grip options that enable thera band to enable multiple exercises like open and closed hand grips, holding objects with resistance, no-grip-required exercises, simultaneous upper and lower body work.

Made of latex free, patent pending CLX - Consecutive Loops.

The package should be consist of : Three 5-foot pieces of Yellow (light), Red (medium) & Green (heavy) Resistance

**24-Hand exercise table**

Hard-wood table with laminated top is fitted with Pulleys, Leather loops, Nylon cord & Weights for Fingers, Hand, Wrist & Forearm exercises. Especially for Metacarpophalangeal / Interphalangeal joints. Also provided with Supinator / Pronator & Wrist-Circumduction wheel for Wrist exercises.

**TECHNICAL SPECIFICATION:**

**Table:** Hard-wood table with laminated top

**Size:** 24" x 30" x 30" high.

**Finish:** Natural wood polish Finish.

**Pulleys:** 6 (Six) Nylon pulleys, fitted in Steel Frame with Powder coated finish.

**Leather Loops:** 12 leather Loops with Nylon cord that passes through the Pulleys.

**Weight Hangers:** Six, Weight Hangers with Pulleys underneath the Table to hang weights.

**Weight:** Five sets, each set consists of 5 Sets weights of one each of 100, 200, 300, 400 and 500grams. Weights with a hole to hang, have Chrome finished.

**Finish:** Metal parts with Powder coating finish.

**25-Corner seat**

- Corner chairs assist with visual scanning, breathing, eating, and development of arm mobility; they are ideal for children who lack postural control of the head, neck, or trunk.
- The back of the chair is V-shaped rather than straight, and the seat can be lifted or lowered. A raised seat promotes thigh alignment, reducing both tightness in the hamstrings and spasticity in spinal and pelvic alignment.
- A lowered seat allows the child to relax with legs extended.
- Corner chairs shall have rectangular cushions that are placed between the distal femurs to ensure hip alignment. Provided with the seatbelt to prevent the child from sliding or pushing out of their chair.
- The dimension should adequet for seating a children from 1-6years of age.

26-Musical toys, Drawing board, Cryons, Pleistone, Rods and beads, Colored blocks, Post office box for KIDS use one .to be provide as one kit.

*Bushora*

*Sumeeta Nanda*

*Sonali Patra*

*22*

**27-Crawler:**

- > Height adjustable type.
- > The body should be supported good quality Rexene to bear a children of age group 2-6 years.
- > The unit should be powder coated frames with no sharp adges.
- > It can provide hammock tilts forward or backward for correct positioning of the patient

**28-Stairease**

The stair case shall be a Small Up and Down type with 3step UP and 3 step down. The patient can ascend and descend without turning.

The stairs are to be Small and straight.

The total length of the stair case should be fitted with two full width rails It should bear a load capacity under normal for age group of 3-9 years.

Can be easily sifted to any space.

Dimension:

For down two steps: 10"L x 30" W x 6" H

For UP Three steps : 10"L x 30" W x 4" H

The base platform: 24"Lx 30"W x 12" H

Complete unit shall be made of good quality Poly Wood.

**29-Balance Board**

It should be usefull for children age from 3-6 years

It should be used for rocking from side to side, spinning around and balancing where a children can stand or sit.

The board should be provided with anti skid profile and four integrated handlebars.

Diamenssion: approximate 4/2 feet across and approximately 7 inches height.

**30-Swing**

**31-Swing**

The unit should consists of following swings

1-plat form swing

2-Bloster swing

3-Disc swing

4-T-Tube

All the swing should be used by the children of age group from 3-9 years.

The complete unit should be detachable.

It should provide maximum relaxation and stimulation to the children with a dimension of Made of soft fabric provided with detachable cuddly cushion.

All material should be made from 100%cotton outer and polyester filling.

It should have single/double suspension point.

*Abishere*

*Sunifa Alanda*

*Somali Pedro*

*2/1*

224

It should holds up to 60kg.

32-Ball pool with ball

**Pool Dimension:**

48"x

**33-Scooter board**

The scooter board should be used for the age from 3-6 years.

It can be used by the Kids who can travel every way while working on gross motor skills development, increasing arm strength and motor planning.

The scooter board can be used in a sitting, kneeling and prone position for development of gross motor skill of upper and lower extrimities.

It should be made of heavy duty polypropylene of minimum 5-year guarantee of 16" base platform.

It should be provided with safty grip handles and non marring rubber swivel casters.

Minimum weight bearing capacity should be 50kg.

**34: Therapy Mattresses:**

- Made of good quality foam of minimum density of 40kg/cm<sup>3</sup>
- The thickness of the mattress should be 4"
- Dimension: 10ft (L) and 5ft(W)
- It should be covered with a polyvinyl coating cover.
- Should not collect sweat, odour or dirt and should be easily wiped & cleaned with a damp cloth.
- Should have non sticky & non skidding surface.
- Should provide cover bag for safe keeping & handling.

**35-Beach ball :**

**Regular playing beach ball for children size.**

Inflatable 12" in diameter .Rainbow desing.Made of non toxic ruber material .

**36-Foam blocks**

- Set of 5pieces.
- Ramp measures 24"L x 16"W x 8"H down to 1"H
- Wipe-clean vinyl in primary colors
- Ages 1 yrs. +

*Bushara*  
*Suneta Nanda*  
*Somali Patra*

- > It should be a playing come improvement tool.
- > It should be comprises of small and medium multiple types blocks (square, rectangular, circular and cylindrical etc) to form different shapes for providing jumping, climbing, rolling and framing in shapes.
- > All block should be made of durable foams of minimum density of 50kg/cm<sup>3</sup>.
- > Made of Antimicrobial and antibacterial foam; phthalate free cover
- > Durable, easy-to-clean vinyl cover stands up to countless hours of play
- > Foam is the perfect mixture of firm enough to sit on yet soft enough for safe play

MONITORING COLLECTOR FOR 3-6 years

MONITORING COLLECTOR FOR 3-6 years

MONITORING

### 40-Peanut Balls

A favorite occupational therapy tool and physical therapy ball, peanut balls are great for working on balance, body awareness, core strength, body stability, providing vestibular input, and much more.

### Tactile Therapy Ball

A sensory delight 75cm therapy ball is swarming with little sensory bumps that provide a nice touch of tactile input during balance, vestibular, and bilateral ball activities. Kids can't wait for their turn when playing with this bumpy sensory ball. Ideal for 1, 1 or groups. Also makes a great "bumpy" ball chair seat.

Bushome

Sumita stande

Smal's Patra

3

# SECTION - III

# ANNEXURES

26

**CHECK LIST**  
(To be submitted in **Technical Bid**)

**Note :** The documents has to be arranged serially as per the order mentioned in the check list

Please put  in the respective box

**COVER – A (TECHNICAL BID) DOCUMENTS : SUBMITTED OR NOT**

- |   |                               |                              |                              |
|---|-------------------------------|------------------------------|------------------------------|
| 1. List of Item (s) – Annexure II   | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 2. Tender document Fee  | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 3. Earnest Money Deposit  | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 4. Details of Manufacturing Unit / contract person Liaisoning agent (Annexure III)                                | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 5. Declaration form (Annexure -IV) signed by the Tenderer & affidavit before Notary Public / Executive Magistrate | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 6. Manufacturer's Authorization Format (Annexure – V)   | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 7. Last three years Audited Statement of the Supplier   | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No. <input type="checkbox"/> |
| 8. Performance Statement (With list of Items) during last two year (Annexure -VI )                                | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 9. GST Copy   | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 10. Copy of Manufacturing License   | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 11. Photocopy of PAN  | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No <input type="checkbox"/>  |
| 12. Copy of original Tender , duly signed by the Tenderer   | Page No. <input type="text"/> | Yes <input type="checkbox"/> | No. <input type="checkbox"/> |



28

**ANNEXURE – III**

(Refer Clause No. 3)

(To be submitted in Cover A -Technical Bid)

**DETAILS OF THE TENDERER & LOCAL CONTACT PERSON**

	<b>Corporate Office (The address in which the purchase orders and payment details will be communicated)</b>	<b>Local Contact Person / Branch Office / Zonal Office .</b>
Name & Full Address		
Telephone Nos., landline		
Mobile		
Fax		
E – Mail		

**Signature of the Tenderer :  
with seal**

**Date :**

**Official Seal :**

(To be submitted in Cover A -Technical Bid)  
**DECLARATION FORM**

I / We .....having My / our  
.....office  
at.....do declare that I / We have carefully read all the  
terms & conditions of tender of the \_\_\_\_\_, Orissa for the supply of DEIC Equipment & Aids.  
The approved rate will remain valid for a period of one year from the date of approval. I will abide with **all the  
terms & conditions** set forth in the **Tender Reference no.** \_\_\_\_\_

I/We do hereby declare I/We have not been de-recognized / black listed by any State Govt. / Union  
Territory / Govt. of India / Govt. Organization / Govt. Health Institutions for supply of Not of Standard  
Quality (NSQ) items / non-supply.

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit t and blacklist  
me/us for a period of 2 years if, any information furnished by us proved to be false at the time of inspection /  
verification and not complying with the Tender terms & conditions.

Signature of the bidder :

Seal

Date :

Name & Address of the Firm:

Affidavit before Executive Magistrate / Notary Public.

(To be submitted in Cover A -Technical Bid)

**MANUFACTURER'S AUTHORISATION FORMAT**

To

The C.D.M.&P.H.O Nuapada.  
Deptt. of Health & Family Welfare  
Govt. of Orissa.

Ref: Tender No. \_\_\_\_\_ Dated \_\_\_\_\_ for \_\_\_\_\_.

Dear Sir,

We, \_\_\_\_\_ are the manufacturers of \_\_\_\_\_  
\_\_\_\_\_ (name/type of Items having factories at \_\_\_\_\_)

1. Messrs \_\_\_\_\_ (name and address of the agent) is our authorized agent for sale and of \_\_\_\_\_ (name of DEIC Equipment & Aids).
2. We confirm that Messrs. \_\_\_\_\_ (name of the above agent) is authorized to submit a tender, and enter into a contract with for the above items manufactured by us.
3. We will provide test reports of supply items, if required by the purchaser.

Yours faithfully,

\_\_\_\_\_  
\_\_\_\_\_

(Signature with date, name and designation)

For and on behalf of Messrs \_\_\_\_\_  
(Name & address of the manufacturers)

Seal

Note :

1. This letter should be on the **letterhead** of the **manufacturer** and should be signed by a person having the power of attorney to legally bind the manufacturer.
2. Original letter shall be attached to the technical bid.

Opinion  
19/11/19

(To be submitted in **Cover A - Technical Bid**)  
**Annexure VI** (Refer Clause no. 3.9)  
**PROFORMA FOR PERFORMANCE STATEMENT**  
(For the period of last **two years**)

Tender Reference No. : \_\_\_\_\_  
Name of Tenderer : \_\_\_\_\_  
Name of Manufacturer : \_\_\_\_\_

Sl.	Order placed by (Address of purchaser) (attach documentary proof)*	Order no. & Date	Item Name	Manufacturer	Qty	Value of Contract (Rs.)
1						
2						
..						

**Signature and seal of the Tenderer**

\* The documentary proof will be copies of the purchase order – minimum 4 different Purchase order amounting more than Rs.2.00 lakhs (during the last 2 years).

*Signature*  
15/11/24

32

**ANNEXURE**  
(Refer Clause No

**(PRICE SCHEDULE)**

SI No	Name of the Items	Specification/ Strength	Name of the Manufa cture	Rate	GST	Total Price

Signature of the bidder  
Name :  
Seal

Date :  
Place :

Rates should be quoted both in figures & words and if there is any discrepancy, the quoted rates in words will be taken for evaluation

*Omprakash*  
19/11/19

*Omprakash*  
19/11/19