

Form - IV

(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr Pradeep Kanhar
	(ii) Name of HCF or CBMWTF	:	CHC KOMNA
	(iii) Address for Correspondence	:	CHC KOMNA
	(iv) Address of Facility	:	KOMNA, NUAPADA
	(v) Tel. No, Fax. No	:	7978132005
	(vi) E-mail ID	:	Bpmsukomna@gmail.com
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 8018/SPCB/AUTHORIZATION BIO MEDICAL WASTE ON DATE 10.03.2022 IND IV BW 878 valid up to 31.03.2027
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to:
2.	Type of Health Care Facility	:	GOVT
	(i) Bedded Hospital	:	No. of Beds: 16
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF :	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 580.750 KG
			Red Category : 720.840 KG
			White: 61.318 KG
			Blue Category : 450.250 KG

			General Solid waste: 816.00 KG																																				
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility																																						
	(i) Details of the on-site storage facility	:	Size :																																				
		:	Capacity :																																				
		:	Provision of on-site storage : (cold storage or any other provision)																																				
	disposal facilities	:	<table border="0"> <tr> <td>Type of treatment Equipments</td> <td>No. Of</td> <td>capacity Kg/day units</td> </tr> <tr> <td>Incinerators</td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>1</td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>6</td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td>3</td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td>-</td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> </tr> </table>	Type of treatment Equipments	No. Of	capacity Kg/day units	Incinerators			Plasma Pyrolysis			Autoclaves	1		Microwave			Hydroclave			Shredder			Needle tip cutter or destroyer	6		Sharps encapsulation or concrete pit			Deep burial pits:	3		Chemical disinfection:	-		Any other treatment equipment:		
Type of treatment Equipments	No. Of	capacity Kg/day units																																					
Incinerators																																							
Plasma Pyrolysis																																							
Autoclaves	1																																						
Microwave																																							
Hydroclave																																							
Shredder																																							
Needle tip cutter or destroyer	6																																						
Sharps encapsulation or concrete pit																																							
Deep burial pits:	3																																						
Chemical disinfection:	-																																						
Any other treatment equipment:																																							
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)																																				
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1																																				
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	<table border="0"> <tr> <td>Incineration Ash</td> <td>Quantity</td> <td>Where</td> </tr> <tr> <td>ETP Sludge</td> <td>generated</td> <td>disposed</td> </tr> </table>	Incineration Ash	Quantity	Where	ETP Sludge	generated	disposed																														
Incineration Ash	Quantity	Where																																					
ETP Sludge	generated	disposed																																					
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Renewable Envirogic Pvt Ltd																																				
	(vii) List of member HCF not handed over bio-medical waste.	:																																					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes																																				
7	Details trainings conducted on BMW	:																																					
	(i) Number of trainings conducted on BMW Management	:	1																																				
	(ii) number of personnel trained	:	74																																				
	(iii) number of personnel trained at the time of induction	:	0																																				
	(iv) number of personnel not undergone any	:	16																																				

	training so far		
	(v) whether standard manual for training is available	:	Yes
	(vi) any other information)	:	
8	Details of the accident occurred during the year	:	No
	(i) Number of Accidents occurred	:	0
	(ii) Number of the persons affected	:	0
	(iii) Remedial Action taken (Please attach details if any)	:	0
	(iv) Any Fatality occurred, details.	:	0
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	
	Details of Continuous online emission monitoring systems installed	:	no
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	yes
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from JAN 2025 to DEC 2025


 25/06/2026
 C.D.A. PRADEEP KANHAR
 Name and Signature of the Head of the Institution

Date:

Place